

General Motif Characteristics:

Top Similar Looking Motifs:

JASPAR.CTCF.wm	0.000
HCMC.CTCF_f2.wm	0.005
CTCF.p2	0.018
HOMER.CTCF(Zf).CD4+CTCF-ChIP-Seq	0.022
ENCODE.CTCF	0.072
HOMER.BORIS(Zf).K562-CTCF-ChIP-Seq	0.076
HTSELEX.CTCF.C2H2.full.monomeric.wm1	0.092
UNIPROBE.UW.Motif.0003.wm	0.173
UNIPROBE.Sp4_primary.wm	0.285
TFAP4.p2	0.288

Statistics:

- Motif name: JASPAR.CTCF.wm
- Enrichment: 36.2417526756
- log-Likelihood Ratio: 1795.10592151
- Area under precision recall curve: 0.9505




Figure 1: Logo of Weight Matrix




Figure 2: Precision and Recall curve

Statistics for TFBS - Peak Centering and Peak Posterior - Peak Height Correlation:

0.1

Overall statistics:

- Number of true peaks out of total number of peaks: 30151/44017
- 68.50 percent are true.
- Cut-off: minimum summed posterior of 0.20
- Peak plots contain TFBS of posterior ≥ 0.20

Statistic for centering of TFBSs at peak centers:

- Enrichment at binding sites: 4.7093

Correlation between peak Z-score and number of binding sites at peak: 0.4939




Figure 3: Scatter plot of peak Z-score versus number of binding sites at peak




Figure 4: Violin plot of peak Z-score versus number of binding sites at peak




Figure 5: Histogram of number of binding sites at peaks




Figure 6: Histogram of distances of TFBS to its nearest peak center




Figure 7: Histograms of coverage at sites and in total regions