

General Motif Characteristics:

Top Similar Looking Motifs:

ENCODE.ZNF143-ext	0.038	
HOMER.GFY-Staf.Promoters		0.187
HCMC.ZN143-si.wm	0.243	
ZNF143.p2	0.253	
RBPJ.p2	0.315	
STAT5{A,B}.p2	0.317	
JASPAR.znf143.wm	0.320	
JASPAR.STAT1.wm	0.322	
ENCODE.STAT1	0.330	
HCMC.STAT1-f2.wm	0.334	

Statistics:

- Motif name: denovo_WM_8
- Enrichment: 40.8665069644
- log-Likelihood Ratio: 1855.15541347
- Area under precision recall curve: 0.9180




Figure 1: Logo of Weight Matrix




Figure 2: Precision and Recall curve

Statistics for TFBS - Peak Centering and Peak Posterior - Peak Height Correlation:

0.1

Overall statistics:

- Number of true peaks out of total number of peaks: 3022/36955
- 8.18 percent are true.
- Cut-off: minimum summed posterior of 0.20
- Peak plots contain TFBS of posterior ≥ 0.20

Statistic for centering of TFBSs at peak centers:

- Enrichment at binding sites: 26.8263

Correlation between peak Z-score and number of binding sites at peak: 0.6279




Figure 3: Scatter plot of peak Z-score versus number of binding sites at peak




Figure 4: Violin plot of peak Z-score versus number of binding sites at peak




Figure 5: Histogram of number of binding sites at peaks




Figure 6: Histogram of distances of TFBS to its nearest peak center




Figure 7: Histograms of coverage at sites and in total regions